




Baumprofile

	Baumprofil Maße mm	I_y cm^4	I_x cm^4	Wandstärke mm	Gewicht kg/m	W_y cm^3	W_x cm^3	Segelnut mm	
	87/60	60.2	27.7	2.0	1.7	13.4	9.3	4.5	
	104/60	97.5	33.6	2.0	1.9	18.5	11.2	4.5	
	120/62	155	42.5	1.8	2.12	24.8	13.7	5.5 ± 0.75	
	135/71	265	70	2.0-2.8	2.66	39	19.5	5.8 ± 0.75	
	152/82	433	126	2.5-2.9	3.59	54.2	30.4	5.8 ± 0.75	
	171/94	726	189	2.3-3.2	4.66	80.5	41.2	5.5 ± 0.75	
	200/117	1280	343	3.1	5.88	121.5	61.3	6.25 ± 0.75	
	250/140	2706	692	3.2	7.95	200.1	101.3	6.25 ± 0.75	
	290/155	5209	1524	4.1	11.50	339	196	10,25 ± 0.75	
	Matchracing Baum								
	190/60	732	94	2.5-3.5	4.86	74	31	5.5 ± 0.75	
	230/70	1399	176	2.7-3.6	6.53	117.8	50.5	6.25 ± 0.75	



Spinnakerbaumprofile

	Baumprofil Maße mm	I_y cm^4	I_x cm^4	Wandstärke mm	Gewicht kg/m
	48/48	7.65	7.65	2.0	0.75
	60/60	15.4	15.4	2.0	1.00
	72/72	29.9	29.9	2.2	1.38
	84/84	48.0	48.0	2.2	1.53
	96/96	72.3	72.3	2.2	1.76
	99/99	123	123	3.6	2.65
	111/111	197	197	4.1	3.38
	140/140	303	303	3.0	3.17



Carbon-Spinnakerbaumprofile

Ausführung	Baumprofil Maße mm	Gewicht kg/m	Trägheit cm^4
Normal	47	0.33	5.4
	59	0.42	10.8
	61	0.59	18.5
	77	0.65	42,3
	88	1.00	63
	90	1.26	88
Konisch	102	1.15	134,6
	119	1.68	217
	137	1.94	335
	156	2.69	508
	158	3.15	642

